




FLEXIBILITY, EFFICIENCY AND RELIABILITY AT YOUR SERVICE

CROSSOVER R32 offers flexibility by adapting to any decor and any situation, thanks to the wide range of **ALL MATCH** indoor unit options. The system's exceptional performance means it can heat and cool all year round, and operate at maximum efficiency.

- G20 Inverter Technology
- Wi-Fi Connectivity
- Compact and Silent Design
- Indoor Unit Self-cleaning Function
- Wireless Remote Control with LCD Display
- Wired Thermostat Option
- Composite Drain Pan
- Coils (Indoor and Outdoor): Copper Tube / Aluminum Fins
- Blue Fins (500-hour Salt-water Spray Tested)
- Environmentally-friendly R32 Refrigerant



HEATING DOWN TO -30°C AND COOLING, -29°C

As one of the only heat pumps capable of heating or cooling at such extreme temperatures, the **CROSSOVER R32** series is designed to be your comfort ally in our cold Canadian climates. It's the ideal solution for residential, commercial or even server room applications.



GREE HEAT PUMPS...
TOWARDS ZERO EMISSIONS!



Wall-mounted Unit
CROSSOVER R32



Condensing Unit
CROSSOVER R32



Remote Control
YBE1FB1F



OPTIONAL
Wired Thermostat
XE-71

CROSSOVER R32			9 000	12 000	18 000	24 000
Indoor Unit:			GWH09AGCXD-D6DNA4D/I	GWH12AGCXD-D6DNA4D/I	GWH18AGDXF-D6DNA4B/I	GWH24AGEXF-D6DNA4J/I
Outdoor Unit:			GWH09AGCXD-D6DNA4D/O	GWH12AGCXD-D6DNA4D/O	GWH18AGDXF-D6DNA4B/O	GWH24AGEXF-D6DNA4J/O
AHRI Reference Code:			215392073	215402266	215387336	215387337
Power Supply	V/Hz/Ph	208-230 / 60 / 1				
SYSTEM PERFORMANCES						
Rated Capacity	Cooling	BTU/h	9,100	12,000	18,000	22,000
	Heating	BTU/h	10,500	12,000	18,000	24,000
Power Input	Cooling	W	606	923	1315	1613
	Heating	W	789	923	1349	1759
Rated Current	Cooling	A	4.73	6.64	11.5	13.0
	Heating	A	6.0	6.41	11.5	15.5
SEER 2		BTU/W*h	26.0	24.5	24.5	26.0
EER 2		BTU/W*h	15.0	13.0	13.65	13.65
HSPF 2		BTU/W*h	10.4	9.5	9.0	10.0
COP at 8 °C (47 °F)		/	3.90	3.81	3.91	4.00
INDOOR UNIT SPECIFICATIONS						
Airflow Volume	m³/h (CFM)		600 / 550 / 500 / 450 / 400 / 350 / 330 / 219 (353 / 324 / 294 / 265 / 235 / 206 / 194 / 129)	680 / 620 / 560 / 489 / 450 / 420 / 390 / 360 (400 / 365 / 330 / 288 / 265 / 247 / 230 / 212)	1000 / 850 / 750 / 700 / 650 / 600 / 550 (589 / 500 / 441 / 412 / 383 / 353 / 324)	1250 / 1000 / 900 / 800 / 750 / 700 / 650 (736 / 589 / 530 / 471 / 441 / 412 / 383)
Sound Pressure Level	dB(A)		41 / 39 / 36 / 33 / 29 / 26 / 24 / 20	43 / 38 / 36 / 34 / 32 / 30 / 25 / 20	48 / 43 / 41 / 39 / 37 / 33 / 29	52 / 44 / 42 / 39 / 38 / 36 / 34
Moisture Removal Capacity	L/h (pt/h)		0.8 (1.69)	1.4 (2.96)	1.8 (3.80)	2.0 (4.23)
Dimensions	Width	mm (in)	825 (32-31/64)	825 (32-31/64)	982 (38-21/32)	1075 (42-21/64)
	Height	mm (in)	293 (11-17/32)	293 (11-17/32)	311 (12-1/4)	333 (13-7/64)
	Depth	mm (in)	196 (7-23/32)	196 (7-23/32)	221 (8-45/64)	246 (9-11/16)
Weight	Net	kg (lb)	9.5 (20.9)	9.5 (20.9)	13.0 (28.7)	16.0 (35.3)
	Gross	kg (lb)	11.5 (25.4)	11.5 (25.4)	15.5 (34.2)	19.0 (41.9)
OUTDOOR UNIT SPECIFICATIONS						
Ambient Temperature	Cooling	°C (°F)	-29 to 50 (-20 to 122)			
	Heating	°C (°F)	-30 to 30 (-22 to 86)			
Sound Pressure Level	dB(A)		52	52	59	58
Minimum Circuit Ampacity (MCA)	A		10	10	16	22
Maximum Overcurrent Protection (MOP)	A		15	15	20	30
Dimensions	Width	mm (in)	802 (31-37/64)	802 (31-37/64)	958 (37-23/32)	958 (37-23/32)
	Height	mm (in)	553 (21-27/32)	553 (21-27/32)	660 (25-63/64)	660 (25-63/64)
	Depth	mm (in)	350 (13-25/32)	350 (13-25/32)	402 (15-53/64)	402 (15-53/64)
Weight	Net	kg (lb)	32.0 (70.6)	30.5 (67.3)	43.0 (94.8)	42.0 (92.6)
	Gross	kg (lb)	34.5 (76.1)	33.0 (72.8)	47.5 (104.7)	46.5 (102.5)
REFRIGERATION SYSTEM						
Suction Line Size	mm (in)		ø 9.52 (3/8)	ø 12.70 (1/2)	ø 12.70 (1/2)	ø 15.88 (5/8)
Liquid Line Size	mm (in)		ø 6.35 (1/4)	ø 6.35 (1/4)	ø 6.35 (1/4)	ø 6.35 (1/4)
Maximum Pipe Length	m (ft)		20 (65.6)	20 (65.6)	40 (131.2)	40 (131.2)
Maximum Pipe Elevation	m (ft)		12 (39.4)	12 (39.4)	25 (82.0)	25 (82.0)
Refrigerant Type / Charge	kg (oz)		R32 / 0.85 (30.0)	R32 / 0.8 (28.2)	R32 / 1.15 (40.6)	R32 / 1.2 (42.3)

Affordable comfort you can trust
from the world's largest manufacturer
of air conditioners.



GREE Canada products are subject to continuous improvements. GREE Canada reserves the right to modify product design, specifications and information without notice and without incurring obligations.

COPYRIGHT © GREE CANADA, 2025. ALL RIGHTS RESERVED. DOCUMENT NO. : 062025

Authorized Dealer